

Certificate of Analysis

Global Wellnest Distribution, Inc.

22523 Margarita Dr.

Woodland Hills CA 91364 United States

Sample Name:	Natural Shilajit Resin	Eurofins Sample:	14073617
Project ID	GLOB_WELLN-20240506-0001	Receipt Date	21-May-2024
PO Number	NA	Receipt Condition	Ambient temperature
Lot Number	2232-132	Login Date	06-May-2024
Sample Serving Size	300 mg	Date Started	21-May-2024
Description	B00WQLR2U2 TR171408988641181 EXP DATE: 09-2026	Sampled	Sample results apply as received
		Online Order	901-2024-E032433

Analysis	Result	Specifications	Pass/Fail
Amazon Certification *			
Adulterants	Pass		
Contaminants	Pass		
Pathogens	Pass		
Microbiological	Pass		
GMP Certification	Pass		
Content Claims	Pass		
Overall Certification	Pass		
Label Review	Pass		
Targeted Analysis of Sexual Enhancement Adulterants for Amazon Products			
Acetaminotadalafil	Not Detected.		
Acetildenafil	Not Detected.		
Acetylvardenafil	Not Detected.		
Aildenafil	Not Detected.		
Aminotadalafil	Not Detected.		
Avanafil	Not Detected.		
Benzamidenafil	Not Detected.		
Benzylsildenafil	Not Detected.		
N-Butylnortadalafil	Not Detected.		
Carbodenafil	Not Detected.		
Chlordenafil	Not Detected.		
Chloropretadalafil	Not Detected.		
Dapoxetine	Not Detected.		
N-Desethylvardenafil	Not Detected.		
N-Desmethylsildenafil	Not Detected.		
Dimethylacetildenafil	Not Detected.		
Gendenafil	Not Detected.		

* This analysis or component is not ISO accredited.

Certificate of Analysis

Global Wellnest Distribution, Inc.

22523 Margarita Dr.

Woodland Hills CA 91364 United States

Sample Name:	Natural Shilajit Resin	Eurofins Sample:	14073617
Project ID	GLOB_WELLN-20240506-0001	Receipt Date	21-May-2024
PO Number	NA	Receipt Condition	Ambient temperature
Lot Number	2232-132	Login Date	06-May-2024
Sample Serving Size	300 mg	Date Started	21-May-2024
Description	B00WQLR2U2 TR171408988641181 EXP DATE: 09-2026	Sampled	Sample results apply as received
		Online Order	901-2024-E032433

Analysis	Result	Specifications	Pass/Fail
Targeted Analysis of Sexual Enhancement Adulterants for Amazon Products			
Gisadenafil	Not Detected.		
Homosildenafil	Not Detected.		
Hydroxyacetildenafil	Not Detected.		
Hydroxychlorodenafil	Not Detected.		
Hydroxyhomosildenafil	Not Detected.		
2-Hydroxypropylnortadalafil	Not Detected.		
Hydroxythiohomosildenafil	Not Detected.		
Hydroxythiovardenafil	Not Detected.		
Hydroxyvardenafil	Not Detected.		
Imidazosagatriazinone	Not Detected.		
Lodenafil carbonate	Not Detected.		
Mirodenafil	Not Detected.		
Nitrodenafil	Not Detected.		
Noracetildenafil	Not Detected.		
Norneosildenafil	Not Detected.		
Norneovardenafil	Not Detected.		
Nortadalafil	Not Detected.		
N-Octylnortadalafil	Not Detected.		
Piperiacetildenafil	Not Detected.		
Propoxyphenylhomohydroxysildenafil	Not Detected.		
Propoxyphenylsildenafil	Not Detected.		
Propoxyphenylthiohydroxyhomosildenafil	Not Detected.		
Pseudovardenafil	Not Detected.		
Sildenafil	Not Detected.		
Tadalafil	Not Detected.		
Thioildenafil (Sulfoildenafil)	Not Detected.		

* This analysis or component is not ISO accredited.

Printed: 28-Jun-2024 5:01 pm

Page 2 of 18

Certificate of Analysis

Global Wellnest Distribution, Inc.

22523 Margarita Dr.
Woodland Hills CA 91364 United States

Sample Name:	Natural Shilajit Resin	Eurofins Sample:	14073617
Project ID	GLOB_WELLN-20240506-0001	Receipt Date	21-May-2024
PO Number	NA	Receipt Condition	Ambient temperature
Lot Number	2232-132	Login Date	06-May-2024
Sample Serving Size	300 mg	Date Started	21-May-2024
Description	B00WQLR2U2 TR171408988641181 EXP DATE: 09-2026	Sampled	Sample results apply as received
		Online Order	901-2024-E032433

Analysis	Result	Specifications	Pass/Fail
Targeted Analysis of Sexual Enhancement Adulterants for Amazon Products			
Thiohomosildenafil	Not Detected.		
Thiosildenafil	Not Detected.		
Udenafil	Not Detected.		
Vardenafil	Not Detected.		
The reporting limit for each PDE5 inhibitor is 50 ppm in matrix.			
Aerobic Plate Count *			
Aerobic Plate Count	6700 CFU/g	<= 10000000 CFU/g	Pass
E. coli *			
Escherichia Coli	Absent /10 g		
Enterobacteriaceae (Bile-Tolerant Gram-Negative Bacteria) *			
Enterobacterial Count	<10 MPN MPN/g	<= 1000 MPN/g	
Pseudomonas aeruginosa USP *			
Pseudomonas Aeruginosa	Absent /10 g		
Salmonella USP *			
Salmonella	Absent /10 g		
Staphylococcus *			
Staphylococcus Aureus	Absent /10 g		
Yeast and Mold Count *			
Combined Yeast and Mold Count	<100 CFU/g	<= 1000000 CFU/g	Pass
Preparatory Testing of Nutritional and Dietary Supplements *			
Staphylococcus Suitability Result	PASS		
E. coli Suitability Result	PASS		
Salmonella Suitability Result	PASS		
Bile-Tolerant Gram-Neg Bacteria Suitability Result	PASS		
Total Combined Yeast-Molds Count	PASS		

* This analysis or component is not ISO accredited.

Certificate of Analysis

Global Wellnest Distribution, Inc.

22523 Margarita Dr.

Woodland Hills CA 91364 United States

Sample Name:	Natural Shilajit Resin	Eurofins Sample:	14073617
Project ID	GLOB_WELLN-20240506-0001	Receipt Date	21-May-2024
PO Number	NA	Receipt Condition	Ambient temperature
Lot Number	2232-132	Login Date	06-May-2024
Sample Serving Size	300 mg	Date Started	21-May-2024
Description	B00WQLR2U2 TR171408988641181 EXP DATE: 09-2026	Sampled	Sample results apply as received
		Online Order	901-2024-E032433

Analysis	Result	Specifications	Pass/Fail
----------	--------	----------------	-----------

Preparatory Testing of Nutritional and Dietary Supplements *

Aerobic Plate Suitability Result PASS

Suitability of Test Method *

Pseudomonas Suitability Result PASS

Elements by ICP Mass Spectrometry

Chromium *	0.000473 mg/Serving Size	<= 0.02 mg/Serving Size	Pass
Mercury	0.00000408 mg/Serving Size	<= 0.002 mg/Serving Size	Pass
Lead	0.000324 mg/Serving Size	<= 0.01 mg/Serving Size	Pass
Arsenic	0.00193 mg/Serving Size	<= 0.01 mg/Serving Size	Pass
Cadmium	0.0000367 mg/Serving Size	<= 0.0041 mg/Serving Size	Pass

Non-Testable Claims *

Comments and Conclusions

Eurofins is unable to meet the minimum test requirement as certain ingredients in this product have no scientifically valid methods available. Per Amazon policy, some of the ingredients are exempt from quantitative analysis.

Photo *

Packaging - Front

Certificate of Analysis

Global Wellnest Distribution, Inc.

22523 Margarita Dr.

Woodland Hills CA 91364 United States

Sample Name:	Natural Shilajit Resin	Eurofins Sample:	14073617
Project ID	GLOB_WELLN-20240506-0001	Receipt Date	21-May-2024
PO Number	NA	Receipt Condition	Ambient temperature
Lot Number	2232-132	Login Date	06-May-2024
Sample Serving Size	300 mg	Date Started	21-May-2024
Description	B00WQLR2U2 TR171408988641181 EXP DATE: 09-2026	Sampled	Sample results apply as received
		Online Order	901-2024-E032433

Analysis	Result	Specifications	Pass/Fail
----------	--------	----------------	-----------

Photo *



Packaging - Back

* This analysis or component is not ISO accredited.

Certificate of Analysis


Global Wellnest Distribution, Inc.

22523 Margarita Dr.
Woodland Hills CA 91364 United States

Sample Name:	Natural Shilajit Resin	Eurofins Sample:	14073617
Project ID	GLOB_WELLN-20240506-0001	Receipt Date	21-May-2024
PO Number	NA	Receipt Condition	Ambient temperature
Lot Number	2232-132	Login Date	06-May-2024
Sample Serving Size	300 mg	Date Started	21-May-2024
Description	B00WQLR2U2 TR171408988641181 EXP DATE: 09-2026	Sampled	Sample results apply as received
		Online Order	901-2024-E032433

Analysis	Result	Specifications	Pass/Fail
----------	--------	----------------	-----------

Photo *



Nutritional Label

* This analysis or component is not ISO accredited.

Certificate of Analysis

Global Wellnest Distribution, Inc.

22523 Margarita Dr.
Woodland Hills CA 91364 United States

Sample Name:	Natural Shilajit Resin	Eurofins Sample:	14073617
Project ID	GLOB_WELLN-20240506-0001	Receipt Date	21-May-2024
PO Number	NA	Receipt Condition	Ambient temperature
Lot Number	2232-132	Login Date	06-May-2024
Sample Serving Size	300 mg	Date Started	21-May-2024
Description	B00WQLR2U2 TR171408988641181 EXP DATE: 09-2026	Sampled	Sample results apply as received
		Online Order	901-2024-E032433

Analysis	Result	Specifications	Pass/Fail
----------	--------	----------------	-----------

Photo *



* This analysis or component is not ISO accredited.


Certificate of Analysis

Global Wellnest Distribution, Inc.

22523 Margarita Dr.
Woodland Hills CA 91364 United States

Sample Name:	Natural Shilajit Resin	Eurofins Sample:	14073617
Project ID	GLOB_WELLN-20240506-0001	Receipt Date	21-May-2024
PO Number	NA	Receipt Condition	Ambient temperature
Lot Number	2232-132	Login Date	06-May-2024
Sample Serving Size	300 mg	Date Started	21-May-2024
Description	B00WQLR2U2	Sampled	Sample results apply as received
	TR171408988641181	Online Order	901-2024-E032433
	EXP DATE: 09-2026		

Analysis	Result	Specifications	Pass/Fail
Photo * Code			



Packaging - Back

* This analysis or component is not ISO accredited.

Certificate of Analysis

Global Wellnest Distribution, Inc.

22523 Margarita Dr.

Woodland Hills CA 91364 United States

Sample Name:	Natural Shilajit Resin	Eurofins Sample:	14073617
Project ID	GLOB_WELLN-20240506-0001	Receipt Date	21-May-2024
PO Number	NA	Receipt Condition	Ambient temperature
Lot Number	2232-132	Login Date	06-May-2024
Sample Serving Size	300 mg	Date Started	21-May-2024
Description	B00WQLR2U2 TR171408988641181 EXP DATE: 09-2026	Sampled	Sample results apply as received
		Online Order	901-2024-E032433

Analysis	Result	Specifications	Pass/Fail
----------	--------	----------------	-----------

Photo *



Packaging - Back

* This analysis or component is not ISO accredited.

Certificate of Analysis

Global Wellnest Distribution, Inc.

22523 Margarita Dr.
Woodland Hills CA 91364 United States

Sample Name:	Natural Shilajit Resin	Eurofins Sample:	14073617
Project ID	GLOB_WELLN-20240506-0001	Receipt Date	21-May-2024
PO Number	NA	Receipt Condition	Ambient temperature
Lot Number	2232-132	Login Date	06-May-2024
Sample Serving Size	300 mg	Date Started	21-May-2024
Description	B00WQLR2U2 TR171408988641181 EXP DATE: 09-2026	Sampled	Sample results apply as received
		Online Order	901-2024-E032433

Analysis	Result	Specifications	Pass/Fail
----------	--------	----------------	-----------

Photo *



* This analysis or component is not ISO accredited.

Certificate of Analysis

Global Wellnest Distribution, Inc.

22523 Margarita Dr.


Woodland Hills CA 91364 United States

Sample Name:	Natural Shilajit Resin	Eurofins Sample:	14073617
Project ID	GLOB_WELLN-20240506-0001	Receipt Date	21-May-2024
PO Number	NA	Receipt Condition	Ambient temperature
Lot Number	2232-132	Login Date	06-May-2024
Sample Serving Size	300 mg	Date Started	21-May-2024
Description	B00WQLR2U2	Sampled	Sample results apply as received
	TR171408988641181	Online Order	901-2024-E032433
	EXP DATE: 09-2026		

Analysis	Result	Specifications	Pass/Fail
----------	--------	----------------	-----------

Photo *

Packaging - Back



Packaging - Back

* This analysis or component is not ISO accredited.

Certificate of Analysis

Global Wellnest Distribution, Inc.

22523 Margarita Dr.
Woodland Hills CA 91364 United States


Sample Name:	Natural Shilajit Resin	Eurofins Sample:	14073617
Project ID	GLOB_WELLN-20240506-0001	Receipt Date	21-May-2024
PO Number	NA	Receipt Condition	Ambient temperature
Lot Number	2232-132	Login Date	06-May-2024
Sample Serving Size	300 mg	Date Started	21-May-2024
Description	B00WQLR2U2	Sampled	Sample results apply as received
	TR171408988641181	Online Order	901-2024-E032433
	EXP DATE: 09-2026		

Analysis	Result	Specifications	Pass/Fail
----------	--------	----------------	-----------

Photo *



Packaging - Back



* This analysis or component is not ISO accredited.

Certificate of Analysis

Global Wellnest Distribution, Inc.


22523 Margarita Dr.
Woodland Hills CA 91364 United States

Sample Name:	Natural Shilajit Resin	Eurofins Sample:	14073617
Project ID	GLOB_WELLN-20240506-0001	Receipt Date	21-May-2024
PO Number	NA	Receipt Condition	Ambient temperature
Lot Number	2232-132	Login Date	06-May-2024
Sample Serving Size	300 mg	Date Started	21-May-2024
Description	B00WQLR2U2 TR171408988641181 EXP DATE: 09-2026	Sampled	Sample results apply as received
		Online Order	901-2024-E032433

Analysis	Result	Specifications	Pass/Fail
----------	--------	----------------	-----------

Photo *

Packaging - Back



Misc1

Certificate of Analysis

Global Wellnest Distribution, Inc.

22523 Margarita Dr.

Woodland Hills CA 91364 United States

Sample Name:	Natural Shilajit Resin	Eurofins Sample:	14073617
Project ID	GLOB_WELLN-20240506-0001	Receipt Date	21-May-2024
PO Number	NA	Receipt Condition	Ambient temperature
Lot Number	2232-132	Login Date	06-May-2024
Sample Serving Size	300 mg	Date Started	21-May-2024
Description	B00WQLR2U2	Sampled	Sample results apply as received
	TR171408988641181	Online Order	901-2024-E032433
	EXP DATE: 09-2026		

Analysis	Result	Specifications	Pass/Fail
----------	--------	----------------	-----------

Photo *



* This analysis or component is not ISO accredited.

Certificate of Analysis

Global Wellnest Distribution, Inc.

22523 Margarita Dr.

Woodland Hills CA 91364 United States

Method References	Testing Location
<p>Aerobic Plate Count (USPC2021)</p> <p>USP Current revision, Chapter 2021. To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix. **Based on the results of the preparatory test, the detection limit stipulated is adequate for the enumeration of the specified microorganisms.</p>	<p>Eurofins Micro Lab - Madison 6304 Ronald Reagan Ave Madison, WI 53704 USA</p>
<p>Amazon Certification (AMZN_CERT)</p>	<p>Food Integrity Innovation-Madison 6304 Ronald Reagan Ave Madison, WI 53704 USA</p>
<p>E. coli (USPE2022)</p> <p>USP Current revision, Chapter 2022. To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix. **Based on the results of the preparatory test, conditions stipulated are adequate for detecting the presence of the specified microorganism.</p>	<p>Eurofins Micro Lab - Madison 6304 Ronald Reagan Ave Madison, WI 53704 USA</p>
<p>Elements by ICP Mass Spectrometry (ICP_MS_S)</p> <p>Official Methods of Analysis, Methods 2011.19 and 993.14, and 2015.01, AOAC INTERNATIONAL, (Modified).</p>	<p>Food Integrity Innovation-Madison 6304 Ronald Reagan Ave Madison, WI 53704 USA</p>
<p>Enterobacteriaceae (Bile-Tolerant Gram-Negative Bacteria) (USPN2021)</p> <p>USP Current revision, Chapter 2021. To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix. **Based on the results of the preparatory test, the detection limit stipulated is adequate for the enumeration of the specified microorganisms.</p>	<p>Eurofins Micro Lab - Madison 6304 Ronald Reagan Ave Madison, WI 53704 USA</p>
<p>Non-Testable Claims (AMZN_COMMT)</p>	<p>Food Integrity Innovation-Madison 6304 Ronald Reagan Ave Madison, WI 53704 USA</p>

Certificate of Analysis

Global Wellnest Distribution, Inc.

22523 Margarita Dr.

Woodland Hills CA 91364 United States

Method References	Testing Location
-------------------	------------------

Photo (VIS_PHOTO)	Food Integrity Innovation-Madison 6304 Ronald Reagan Ave Madison, WI 53704 USA
--------------------------	--

Preparatory Testing of Nutritional and Dietary Supplements (USPA_PT)	Eurofins Micro Lab - Madison 6304 Ronald Reagan Ave Madison, WI 53704 USA
---	---

Preparatory Testing of Nutritional and Dietary Supplements (USPC_PT)	Eurofins Micro Lab - Madison 6304 Ronald Reagan Ave Madison, WI 53704 USA
---	---

Preparatory Testing of Nutritional and Dietary Supplements (USPE_PT)	Eurofins Micro Lab - Madison 6304 Ronald Reagan Ave Madison, WI 53704 USA
---	---

Preparatory Testing of Nutritional and Dietary Supplements (USPM_PT)	Eurofins Micro Lab - Madison 6304 Ronald Reagan Ave Madison, WI 53704 USA
---	---

Preparatory Testing of Nutritional and Dietary Supplements (USPN_PT)	Eurofins Micro Lab - Madison 6304 Ronald Reagan Ave Madison, WI 53704 USA
---	---

Preparatory Testing of Nutritional and Dietary Supplements (USPS_PT)	Eurofins Micro Lab - Madison 6304 Ronald Reagan Ave Madison, WI 53704 USA
---	---

Pseudomonas aeruginosa USP (USPU_62)	Eurofins Micro Lab - Madison 6304 Ronald Reagan Ave Madison, WI 53704 USA
---	---

USP Current Revision, Chapter 62.

To satisfy the requirements of the USP, the Suitability of Test Method must be completed on each matrix.

**Based on the suitability of the test method results, conditions stipulated are adequate for detecting the presence of the specified microorganism.

Salmonella USP (USPS2022)	Eurofins Micro Lab - Madison 6304 Ronald Reagan Ave Madison, WI 53704 USA
----------------------------------	---

USP Current revision, Chapter 2022.

To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix.

**Based on the results of the preparatory test, conditions stipulated are adequate for detecting the presence of the specified microorganism.

Certificate of Analysis

Global Wellnest Distribution, Inc.

22523 Margarita Dr.

Woodland Hills CA 91364 United States

Method References

Testing Location

Staphylococcus (USPA2022)

Eurofins Micro Lab - Madison

6304 Ronald Reagan Ave Madison, WI 53704 USA

USP Current revision, Chapter 2022.

To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix.

**Based on the results of the preparatory test, conditions stipulated are adequate for detecting the presence of the specified microorganism.

Suitability of Test Method (USPU_SOT)

Eurofins Micro Lab - Madison

6304 Ronald Reagan Ave Madison, WI 53704 USA

Targeted Analysis of Sexual Enhancement Adulterants for Amazon Products (PDE52AMZ_S)

Food Integrity Innovation-Madison

6304 Ronald Reagan Ave Madison, WI 53704 USA

Internally developed LC-MS/MS method for screening and quantification of sexual enhancement adulterants in dietary supplements.

Yeast and Mold Count (USPM2021)

Eurofins Micro Lab - Madison

6304 Ronald Reagan Ave Madison, WI 53704 USA

USP Current revision, Chapter 2021.

To satisfy the requirements of the USP, the Preparatory Test must be completed on each matrix.

**Based on the results of the preparatory test, the detection limit stipulated is adequate for the enumeration of the specified microorganisms.

Testing Location(s)

Released on Behalf of Eurofins by

Food Integrity Innovation-Madison

Edward Ladwig - President Eurofins Food Chemistry Testing Madison

Eurofins Food Chemistry Testing Madison, Inc.
6304 Ronald Reagan Ave
Madison WI 53704
800-675-8375



2918.01

* This analysis or component is not ISO accredited.

Printed: 28-Jun-2024 5:01 pm

Page 17 of 18

Certificate of Analysis

Global Wellnest Distribution, Inc.

22523 Margarita Dr.

Woodland Hills CA 91364 United States

These results apply only to the items tested. This certificate of analysis shall not be reproduced, except in its entirety, without the written approval of Eurofins. Measurement uncertainty for individual analyses can be obtained upon request.